


GUSSETED TABLE ASSEMBLY INSTRUCTIONS

- 88-0230 & 88-0140 - Table 24" x 42" x 30"H
- 88-0232 & 88-0142 - Table 30" x 48" x 30"H ADA
- 88-0247 & 88-0162 - Table 24" x 72" x 30"H
- 88-0246 & 88-0174 - Table 30" x 72" x 30"H



LOW TOP T-BASE TABLE ASSEMBLY INSTRUCTIONS

MATERIALS


Table Package Includes

- Table Top
- 2 T-Bases and Gussets
- Screws to attach Top to Base
- Allen Key
- Levelers

INSTRUCTIONS:

1. Attach Gussets to T-Bases using Screws and Allen Key
2. Screw Levelers into Base
3. Place Bases on underside of Top
4. Attach Bases to Top using Screws and Allen Key


NOTE: Do not over-tighten the Screws that attach the Top and Base. Solid wood expands and contracts in width seasonally. Over-tightening may cause Tops to split.




TOP AND BASE ALIGNMENT

When attaching top to base, keep the slotted holes on the table base flange perpendicular to the grain direction of the table top. See Detail A

NOTE: Do not over-tighten the screws that attach the top and base. Solid wood expands and contracts in width seasonally. Over-tightening may cause tops to split.



DETAIL A



BOTTOM VIEW WITHOUT FEET